



## Current vaccination status of your child attending the day care facility

According to the recommendations of the Ständige Impfkommission (STIKO) - Permanent Vaccination Commission- at the Robert Koch-Institut, vaccinations should be complete and done at the right time.

So far, the Prevention Law requires parents to provide proof of a medical consultation on vaccination of the children prior to their joining a day care facility.

According to the Measles Protection Law, that came into force on 1st March 2020, you must provide proof of adequate measles vaccination in order to join a day care facility.

If your children are not vaccinated appropriately for their age, please get the missing vaccinations done at the earliest.

Vaccination against	Number	At the Age of
Rotavirus	2 – 3*	6 weeks – 4 months
Tetanus (Lockiaw) <sup>a</sup>	3	2 – 11 months (4th vaccination at the age of 5 or 6 years)
Diphtheria <sup>a</sup>	3	2 – 11 months (4th vaccination at the age of 5 or 6 years)
Pertussis (Whooping cough) <sup>a</sup>	3	2 – 11 months (4th vaccination at the age of 5 or 6 years)
Polio <sup>a</sup>	3	2 – 11 months
Hämophilus influenzae Typ b (Hib) <sup>a</sup>	3	2 – 11 months
Hepatitis B <sup>a</sup>	3	2 – 11 months
Pneumococcus <sup>a</sup>	3	2 – 11 months
Measles, Mumps, Rubella (German measles)	2	11 – 15 months
Varicella (Chickenpox)	2	11 – 15 months
Meningococcus type C	1	12 months
In endangered areas like Baden-Württemberg Tick-borne encephalitis („Tick“-Vaccination)	3	Suggested from 36th months (4th vaccination 3 years after the 3rd)
COVID-19 (Only for children with chronic illnesses)	3	6 months upwards (eventually annual refresher)



**Please check the vaccination record of your child or have it checked by your pediatrician!**

*\* depending on the vaccine used with gaps of at least 4 weeks*

*<sup>a</sup> Premature babies: additional dose at the age of 3 months, totally 4 injections*